

Review

Open Access



Rare diseases with temporomandibular joint manifestations: a systematic review

Mayank Shrivastava^{1,#}, Gabriel Tian^{2,#}, Liang Ye²

¹Adams School of Dentistry, University of North Carolina at Chapel Hill, Chapel Hill, NC 27514, USA.

²Department of Rehabilitation Medicine, Medical School, University of Minnesota, Minneapolis, MN 55455-0215, USA.

[#]Authors contributed equally.

Correspondence to: Liang Ye, Department of Rehabilitation Medicine, Medical School, University of Minnesota Medical School, 312 Church St SE, NHH 2-110, Minneapolis, MN 55455-0215, USA. E-mail: yexxx142@umn.edu

How to cite this article: Shrivastava M, Tian G, Ye L. Rare diseases with temporomandibular joint manifestations: a systematic review. *Rare Dis Orphan Drugs J* 2023;2:24. <https://dx.doi.org/10.20517/rdodj.2023.32>

Received: 13 Sep 2023 **First Decision:** 17 Oct 2023 **Revised:** 7 Nov 2023 **Accepted:** 13 Nov 2023 **Published:** 21 Nov 2023

Academic Editor: Daniel Scherman **Copy Editor:** Dan Zhang **Production Editor:** Dan Zhang

Abstract

Background: Rare diseases (RDs) are serious often chronic progressive diseases that affect a smaller number of individuals. RDs can manifest in any region of the body and have systemic effects that are detrimental to individual health. Although RDs are individually rare, there are various debilitating disorders arising from RDs. One of the disorders that have been shown to have a negative impact on the health of RD patients is temporomandibular disorders (TMD). There is a dearth of data on the rare diseases and potential manifestations of TMD. The objective of this systematic review is to provide an overview of rare diseases and temporomandibular joint (TMJ) manifestations.

Method: The criterion for analysis of a rare disease and temporomandibular manifestations was inclusion in the Orphanet Classification of Rare Diseases and/or the National Organization for Rare Disorders (NORD)/The Genetic and Rare Diseases (GARD) databases. Only rare diseases with TMJ manifestations were recorded.

Results: A total of 54 RDs with TMJ manifestations and different TMD diagnoses were recorded. There were thirty-five studies derived from the Pubmed search, and the Orphanet input had 19 results. Overall, 13 different types of TMJ manifestations and TMD diagnoses were recorded in rare diseases.

Conclusion: TMJ manifestations associated with rare diseases are not uncommon. Healthcare professionals can play an important role in diagnosing and managing the complexity of RDs with TMJ manifestations. A



© The Author(s) 2023. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, sharing, adaptation, distribution and reproduction in any medium or format, for any purpose, even commercially, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.



multidisciplinary approach to TMD patients with rare diseases is advisable.

Keywords: Rare diseases, temporomandibular joint, diagnosis, symptoms

INTRODUCTION

RDs, often called “Orphan” diseases, are an emerging public health priority that affects a small number of people in the population. There is currently no universal definition for RDs, with varying prevalence among different parts of the world. RDs affect fewer than 200,000 people in the United States^[1], whereas according to the European Union (EU) definition, RDs affect one in 2000 people^[2]. Cumulatively, there are more than 7,000 rare diseases, with approximately 80% having a genetic basis and 50%-70% with pediatric onset^[3,4]. When this number is translated into the actual world, it is fairly unexpected that RDs are not as rare as universally perceived since a vast number of individuals may be suffering such rare conditions around the globe. The estimated prevalence of RDs ranges from 3.5%-5.95% globally^[5]. The approximate collective number of people affected by RDs was equivalent to the population of the world’s third-largest country^[6,7].

There has been an overall increase in public awareness about RDs. However, exact data on RDs are often not available or incomplete as a result of various RD registrations in different national or international databases. These dispersed allocations of information make it difficult to obtain symptoms and consequences linked to specific RDs^[8]. RDs can manifest in any part of the body and thus can often have systemic effects. Generally, 15% of all RDs can manifest in the orofacial region^[9]. The orofacial region consists of heterogeneous hard and soft tissues that make it challenging to diagnose pain conditions^[10]. One of the pain conditions which pose a global health problem is TMD. TMD are defined as a group of clinical conditions affecting the muscles of mastication, the TMJ, and the related structures^[11]. The TMJ is a composite ginglymoarthrodial joint. Each TMJ is comprised of hard and soft tissue components. The hard tissue components of TMJ include the mandibular condyle, articular fossa, and articular eminence. The soft tissues include articular disc, joint capsule, synovial membranes, ligaments, and corresponding muscle attachments. It is the most frequently used joint and possesses the capacity to bilaterally move the mandible simultaneously.

TMD are frequently associated with structural and functional problems. TMD affects about 5%-12% of the general population, while some studies reported a higher incidence of TMD ranging from 25%-40%, with women having a greater risk of developing TMD conditions than men^[11]. TMD affect the articulation and masticatory muscles or both. TMD can be broadly classified as articular disorders in which signs and symptoms are related to TMJ, and muscular disorders, which manifest signs and symptoms related to stomatognathic musculature. Patients with TMD frequently report pain as the primary complaint that can occur from either intra-articular structures or from an extra-articular location as referred pain from adjacent structures. Other symptoms of TMD included joint noises, impaired jaw movements, tinnitus, dizziness, cervical pain, and headaches. TMD has a multifactorial etiology and consists of various contributing factors including trauma, either physical or emotional, biological processes such as aging, postural conditions such as abnormal head and cervical position, systemic predisposition, sleep disorders, and psychosocial alterations. Genetic and sensory processing also contributes to the etiology of TMD^[11]. For diagnosis of TMD, special attention should be given to the history and clinical assessment. A descriptive history is required to render TMD diagnoses and identify the contributing factors. In some cases, diagnostic imaging is needed to assess the presence, extent, stage, or progression of the disorders.

TMD symptoms vary amongst patients, for instance, patients with temporomandibular joint arthritis present to clinics with a complaint of pain, swelling, and joint noises, or they may have no symptoms at all despite progressive joint resorption. Several issues have emerged at the diagnostic level of TMD due to the heterogeneity of the disorder. The presence of comorbidities also makes this disorder more complex^[12]. Like TMD, RDs are often chronic and debilitating, with adverse health outcomes. When combined, both RDs and TMD can have a detrimental influence on the individual health, psychosocial, and economic aspects of their lives^[8]. Both patients and their families who suffer from RDs often face diagnostic and treatment challenges^[13]. Healthcare professionals frequently grapple with constraints such as limited time, information, and resources to effectively diagnose and treat rare diseases^[14,15]. Furthermore, individuals diagnosed with RDs confront substantial hurdles due to delays in treatment care and social acceptance.

Although TMD are not life-threatening, there are more significant rare clinical entities that manifest as TMD, and clinicians should be aware of these entities^[15,16]. Among the potential manifestations of rare diseases, diagnoses related to TMD have scarcely been indexed, and there is no list of TMJ manifestations in rare diseases. The purpose of this review is, therefore, to explore TMD diagnosis in rare diseases, and classify TMJ manifestations in relation to their RDs. It is important to consider many potential symptoms, for instance, pain and complications relating to this region for rare diseases.

METHODS

This systematic review was elaborated according to the Preferred Reporting Items for Systematic Reviews and Meta-Analysis (PRISMA) checklist^[17].

Information sources and system behind the search criteria

The criterion for analysis of a rare disease and temporomandibular manifestations was inclusion in the Orphanet Classification of Rare Diseases and/or NORD/GARD databases. These databases cover the major definitions of rare diseases, including the EU and USA definitions of rare diseases. Only diseases defined as rare in these two databases were covered. The requirement for inclusion was the description of a Temporomandibular joint diagnosis or TMD/temporomandibular anomaly/condition/TMD symptom listed in the Orphanet or Pubmed databases. We used the “Search by Diagnosis, Clinical signs and Symptoms” function on Orphanet with the inputs: “Temporomandibular joint disorders (TMJD), joint disorders Temporomandibular, joint disorder Temporomandibular, TMD, disorder Temporomandibular, disorders Temporomandibular, TMJ disorders and TMJ disorder Anomaly of Temporomandibular joint, and Temporomandibular conditions”. Search options for clinical sign(s)/symptom(s) were temporomandibular joint noises, pain, swelling, and limited mouth opening/impaired joint movement. Our relevant literature search in Pubmed used the same search as discussed in Orphanet with the following enhanced keywords: “rare disease” AND “temporomandibular joint diseases”, “temporomandibular joint disease”, diseases temporomandibular joint, TMJ disease as well as the input “diseases with temporomandibular manifestation” and “rare diseases with temporomandibular disorders” to cover any missed potential diseases.

Study selection

At the time of this study, there are 5,000 to 8,000 estimated number of RDs. There were 359 studies with orofacial manifestations listed in the database. All diseases recorded during the methodology described were subsequently compared with the Orphanet and NORD/GARD databases. Only diseases that appeared in either database were listed as rare diseases and continued to exist on the list. [Figure 1](#) demonstrates search and selection process of studies with rare diseases and TMJ manifestations.




Figure 1. Showing the search and selection process of studies with rare diseases and TMJ manifestations. TMJ: temporomandibular joint.

Inclusion and exclusion criteria

For inclusion criteria, studies with rare diseases who had signs or symptoms of TMJ manifestations (joint noises, pain, and limited jaw movements/impaired joint movement) or diagnosis of TMJD/TMD or any temporomandibular conditions, anomaly and temporomandibular diseases were included. No restrictions regarding the participant's age, sex, and language of publication were applied.

Exclusion criteria were studies reporting only rare diseases or did not investigate TMJ, studies that did not provide separate data of the TMJ diagnoses, and studies with duplicated data from another included study or full text not available.

RESULTS

A total of 54 RDs with TMJ manifestations and diagnoses were recorded and included in the study. Pubmed input had 35 results, and the Orphanet input had 19 results [Table 1]. The RD-specific TMJ symptoms, the pathological mechanism (if known) that is responsible for the manifestation, and the corresponding gene locus (if known) are mentioned. The possible pathological mechanism leading to TMD is marked as “unknown” in Table 1 when it is “unknown” or “not researched” in the literature and “Not available”, indicating no information on possible mechanisms related to the specific TMJ manifestation.

Of these 54 RDs, the mechanisms of the respective TMJ manifestations of five RDs is unknown. Twelve RDs are listed as “Not available”, indicating no information on possible mechanisms related to the specific TMJ manifestation of the RD was identified in the study. Genetically, in the case of nine RDs, the manifestation and disease itself are considered to be “Not genetically determined”. In fifteen RDs, the gene responsible for the manifestations is unknown, which implies either a lack of conclusive knowledge of specific genetic influences or a scarcity of relevant literature exploring these influences. Nine RDs had several different genetic associations, five of which involved different chromosomes. There was one RD, which had extreme variation in genetic cause for each specific case, and two other RDs, which had several non-genetic and genetic factors contributing cumulatively towards the observed phenotypic abnormalities.

13 different types of TMJ manifestations and TMD Diagnosis were reported [Table 2]. 18 RDs were diagnosed with arthralgia and myalgia. 14 RDs were diagnosed with ankylosis and TMJ arthritis. Only six

Table 1. Rare diseases with TMJ manifestations: symptoms, pathological mechanism, affected gene locations, and diagnosis

Disease name, ICD-11	TMJ manifestations/diagnosis	Possible Pathological mechanisms related to the temporomandibular manifestations	Gene, location of the disease
Acute lymphoblastic leukemia ^[26]	Pain/arthritis and myalgia	TMD triggered by malocclusion in children	10q21, 7p12.2, PAX5 9p13
Aicardi-Goutières syndrome ^[27]	Limited jaw movements/TMJ ankylosis	Not available	TREX1, 3'-
Auriculo-condylar syndrome ^[28]	Limited jaw movements/TMJ Hypoplasia	Not available	Genetic variance in GNAI3, PLCB4, EDN1
Bilateral Plantar Fibromatosis ^[29]	Pain/arthritis, myalgia	Not available	Unknown
Calcium pyrophosphate deposition disease ^[30]	Calcified deposits in the TMJ	Deposition of calcium pyrophosphate over the TMJ	Not genetically determined
Cardiocranial syndrome, Pfeiffer type ^[31]	Limited jaw movements/TMJ ankylosis	Not available	Unknown
Cary-Fineman-Ziter syndrome ^[32]	Limited jaw movements, pain/myalgia/ankylosis	Myopathy	MYMK
Chikungunya fever ^[33]	Pain/arthritis, myalgia	Viral infection	Not genetically determined
Chondrosarcoma of Temporomandibular Joint ^[34]	Swelling, pain/arthritis	Chondrosarcoma tumor in the TMJ causing bone destruction and joint-space widening	EXT1
Choreoacanthocytosis ^[35]	TMJ noises, disc disorders	Not available	VPS13A gene (9q21)
COPA syndrome ^[36]	Pain/Arthritis	Immune dysregulation	COPA gene-encoding COP α protein
Ehlers-Danlos syndrome, classical type ^[37,38]	TMJ noises, pain/arthritis, myalgia, disc disorders	Altered structural collagens, mucosal fragility	COL5A1 or COL5A2, rare: p.(Arg312Cys) mutation in COL1A1
Ehlers-Danlos syndrome, Spondylodysplastic type ^[37,38]	TMJ noises, pain/arthritis, myalgia, disc disorders	Altered structural collagens, mucosal fragility	SLC39A13
EPISODIC ATAXIA, TYPE 9 ^[39,40]	Pain/myalgia	Not available	SCN2A gene on chromosome 2q23
Familial Mediterranean fever ^[41]	Pain/arthritis, myalgia	The gene change affects the function of an immune system protein called pyrin, causing problems in regulating inflammation in the body	MEFV gene
Fibrodysplasia ossificans progressiva ^[42]	Permanent TMJ constriction/arthritis, pseudoankylosis	Intense fibroproliferation as a result of inflammation	ACVR1
Gorham-Stout disease ^[43]	Pain/TMJ arthritis/Hypoplasia	Aggressive bone reabsorption	Unknown
HOLOPROSENCEPHALY 9 ^[44]	Asymmetry/TMJ hypoplasia	Not available	GLI2 gene on chromosome 2q14
Hypoglossia or aglossia ^[45,46]	Limited jaw movements/TMJ ankylosis	Not available	Unknown
Hyperglossia with situs invertus ^[46]	Limited jaw movements/TMJ ankylosis	Not available	Unknown
Juvenile idiopathic polyarthritis, rheumatoid factor negative ^[47]	Pain, swelling/TMJ arthritis	Not available	Unknown
Juvenile psoriatic arthritis ^[48]	Pain, swelling/TMJ arthritis	Unknown	Unknown
Kawasaki Disease ^[49]	Pain, swelling/arthritis	Vasculitis/Inflammation	Unknown
Klippel-Feil syndrome ^[50]	Limited jaw movements/TMJ pseudo ankylosis	Not available	GDF6, 8q22.1 GDF3, 12p13.31 MEOX1, 17q21 MYO18B, 22q12.1 [https://www.omim.org/phenotypicSeries/PS118100]
Langerhans cell histiocytosis ^[51]	Pain/myalgia, arthritis	Unknown	Not genetically determined
Lemierre syndrome ^[52] (NOT LISTED IN ICD-11, ICD 10:	Limited jaw movements/TMJ ankylosis	Likely a result of infection by <i>Fusobacterium necrophorum</i>	Not genetically determined

J03.8)				
Lethal restrictive dermatopathy ^[53]	Limited jaw movements/TMJ ankylosis	Tightness of		Dominant LMNA gene mutation (locus 1q21.2)
Loeys-Dietz syndrome type 1 ^[54]	Limited jaw movements, asymmetry, pain, TMJ noises/myalgia arthralgia, disc disorders	TMJ limitation of movement and pain may		Heterozygous mutation in the TGFBR1 gene on chromosome 9q22
Lyme arthritis ^[55]	Pain, swelling/TMJ arthritis	Infection by <i>Borrelia burgdorferi</i>		Not genetically determined
Merosin-deficient muscular dystrophy ^[56]	Pain/myalgia	Deficiency or absence of laminin α 2		Homozygous or compound heterozygous mutation in the laminin alpha-2 gene (LAMA2) on chromosome 6q22
Mucopolysaccharidosis type 2, attenuated form ^[57]	Limited jaw movements/TMJ ankylosis	GAG accumulation (glycosaminoglycans)		Gene encoding iduronate 2-sulfatase (IDS) on chromosome Xq28, missense mutations
Mucopolysaccharidosis type 2, severe form ^[57]	Limited jaw movements/TMJ ankylosis	GAG accumulation (glycosaminoglycans)		Gene encoding iduronate 2-sulfatase (IDS) on chromosome Xq29, apparently completely missing IDS?
Multicentric reticulohistiocytosis ^[58]	Swelling, pain/TMJ arthritis	Nodules in the TMJ		Not genetically determined
Multiple sclerosis ^[59]	Pain/TMJ arthritis/myalgia	inflammation and demyelination of different areas throughout the central nervous system		Variable
Myotonic dystrophy type 1 ^[60]	Limited jaw movements, pain/arthralgia, myalgia	Degeneration of muscles around the facial region		heterozygous trinucleotide repeat expansion (CTG) _n in the 3-prime untranslated region of the dystrophin myotonia protein kinase gene (DMPK) on chromosome 19q13
Ophthalmomandibulomelic dysplasia ^[61]	Limited jaw movements/TMJ ankylosis	Unknown		Unknown
Oromandibular dystonia ^[62]	Pain/myalgia, arthralgia	Sustained or intermittent muscle contractions		DYT-THAP1, DYT-TAF1, DYT-ATP1A3, DYT-KMT2B, DYT-PRKRA, DYT-TOR1A, DYT-CIZ1, DYT-ANO3, DYT-GNAL
Osteomyelitis ^[63]	TMD	Spread of malignant external otitis into temporal bone		Not genetically determined
Osteopathia Striata with Cranial Sclerosis ^[64]	Limited jaw movements/TMJ ankylosis	HYPERLINK [https://www.ncbi.nlm.nih.gov/medgen/331604] Unknown		WTX gene mutation
Pediatric Sjögren Disease and Sarcoidosis ^[65]	Pain/Arthritis	Immune-related gene		Unknown
Pigmented villonodular synovitis ^[66]	TMJ swelling, pain/arthralgia	Bone destruction of the mandibular condyle		Unknown
Relapsing polychondritis ^[67]	Pain, TMJ noises/TMJ arthralgia/DJD	inflammation, structural damage, and impaired function of cartilaginous tissues		Unknown
SAPHO syndrome ^[63]	Pain, limited jaw movements/TMJ ankylosis	Unknown		Multifactorial
Scedosporium apiospermum Otitis ^[68]	Pain/Arthritis	Infection		Fungal infection
Schwartz-Jampel syndrome ^[69]	Pain, TMJ asymmetry/myalgia	Not available		HSPG2 gene
Septic arthritis ^[70]	Pain, swelling/TMJ arthritis	Methicillin-resistant <i>Staphylococcus aureus</i> infection of the TMJ		Not genetically determined
Sickle cell disease ^[71]	Pain, limited jaw movements, swelling/TMJ arthritis, myalgia	Vascular occlusion triggers infection		Hemoglobin genes
Synovial chondromatosis of Temporomandibular Joint ^[72]	Limited jaw movements, swelling, pain, TMJ noises/TMJ arthralgia, DJD	Cartilaginous metaplasia of the mesenchymal remnants of the synovial membrane		Unknown
Synovial sarcoma ^[73]	Limited jaw movements, swelling, pain/TMJ arthralgia	Malignant tumors of the synovial membrane		SS18 gene on Chromosome 18
Systemic Lupus	Pain, limited movements, TMJ	Unknown		PTPN22 1p13.2

Erythematosis ^[74]	noises /myalgia, arthralgia, disc disorders, DJD		FCGR2A 1q23.3 FCGR2B 1q23.3 CTLA4 2q33.2 TREX1 3p21.31 DNASE1 16p13
Systemic sclerosis ^[75]	TMJ noises, pain, limited jaw movements/myalgia, arthralgia, disc disorders, DJD	Mandibular bone resorption caused by a multifactorial process, including microvasculopathy and pressure ischaemia, secondary to thickening skin and muscle atrophy	Association with the FBN1 Gene on Chromosome 15q21.1, Association with the CTGF Gene on Chromosome 6q23, Association with the STAT4 Gene on Chromosome 2q32.2-q32.3
Tenosynovial giant cell tumor, diffuse ^[76]	Swelling, pain/arthralgia	Locally aggressive and proliferative tumor, bony destruction of the condyle	Unknown
Tuberculosis of the Temporomandibular joint ^[77]	Pain/TMJ arthralgia	Extrapulmonary TMJ infection with Mycobacterium tuberculosis	Not genetically determined
Unilateral condylar hyperplasia ^[78]	TMJ asymmetry/Hyperplasia	Condition etiology unknown, TMJ abnormality caused by	Unknown

TMD: temporomandibular disorders; TMJ: temporomandibular joint; DJD: degenerative joint disease.

Table 2. Number of rare diseases and TMJ manifestations

TMD Diagnosis	
18 RDs	Diagnosis of arthralgia and myalgia
14 RDs	Diagnosis of TMJ ankylosis and arthritis
6 RDs	Diagnosis of TMJ disc disorders
4 RDs	Diagnosis of TMJ DJD
3 RDs	Developmental disorders of TMD (hyperplasia)
1 RDs	Developmental disorders of TMD (hyperplasia)
1 RDs	Calcification deposits
1 RDs	TMJ constriction
1 RDs	Deviation from normal TMJ function
TMD signs and symptoms	
36 RDs	Pain is the primary symptom
21 RDs	Limited jaw movement
12 RDs	Swelling
8 RDs	TMJ noises (clicking and crepitus)
4 RDs	TMJ asymmetry

TMD: temporomandibular disorders; TMJ: temporomandibular joint; DJD: degenerative joint disease.

RDs had disc disorders and four RDs had diagnoses of degenerative joint disease (DJD). While three RDs reported TMD developmental disorders as hypoplasia of condyle, one RD had hyperplasia, one RD had calcified deposits, and one RD had TMJ constriction. However, in one RD, a deviation from normal TMJ function and structure was observed, reported as TMD. Among the signs and symptoms, 36 RDs had pain as the primary symptom, 21 RDs had limited jaw movements, 12 RDs had swelling, eight RDs reported TMJ noises, and four RDs had asymmetry, respectively.

Some of the pathological mechanisms of these RDs can be summarized into broad categories. Among the 54 RDs listed, five RDs are a result of infection by a virus or bacteria. Three different RDs are a result of varying degrees of bone reabsorption. Four RDs have their resulting TMJ manifestations due to an external, non-TMJ morphological factor inducing such manifestations. Five RDs result in a tumor in the TMJ area, causing the observed TMJ manifestations in the RDs. Three RDs have collagen defects, affecting the mucosal membrane and causing issues with their TMJ condition as a resulting consequence. Four RDs

possess muscular disorder, three being degeneration/dystrophy and one being involuntary contraction. Two RDs have excessive bone growth, one of which is an abnormal reaction to inflammation. Two RDs express glycosaminoglycan accumulation due to a lack of lysosomal enzymes. Lastly, two RDs have abnormalities with cartilage growth; one shows cartilaginous metaplasia, while the other results in impaired cartilaginous function. One specific RD, Lemierre syndrome, was not listed in the most recent edition of the International Classification of Diseases. It is, however, classified under section J03.8 (Acute tonsillitis due to other specified organisms).

DISCUSSION

To the best of our knowledge, this systematic review is the first to investigate TMJ manifestations and diagnosis in RDs using the selection criteria mentioned in the methods. Of the 5,000 to 8,000 estimated RDs^[3], our study identified 54 definitive RDs with TMJ manifestation and diagnosis, representing 0.5%-0.8% of all RDs. Due to the paucity of research on rare diseases and orofacial manifestations, the comparison with other studies remains unknown. However, in a recent literature search, periodontal manifestations in RDs were reported^[18]. According to Hanisch *et al.*, periodontal manifestations were determined in almost 14 percent of RD, which represents 0.95%-1.52% of all RDs^[18]. Comparatively, our results place TMJ manifestations as a rarer complication among RDs than periodontal manifestations. Another study identified 106 RDs with periodontal relevant manifestations; however, the results are challenging as some of the RDs could not be found in the Orphanet classification of Rare Diseases^[19].

The presentation of TMD is diverse and the symptoms may vary from mild, transient, recurrent, self-limiting to severe disabling, impacting the individual's quality of life. The pain is the primary reason patients seek treatment for TMD^[20]. With the data available, our study evaluated the signs and symptoms of TMD in rare diseases. The present review reported 36 RDs with pain in the TMJ or preauricular region and muscles of mastication. In addition to pain, limited mandibular movements in 21 RDs, TMJ swelling in 12 RDs, TMJ noises in eight RDs, and TMJ asymmetry in four RDs were observed. Although TMJ noises are the most common symptoms of TMD, disc disorders and degenerative changes were not quite common in rare diseases. Furthermore, despite the fact that most RDs are syndromic and have a genetic etiology, TMJ asymmetry was also a rare clinical characteristic. The reason for this disparity is that there are only few reports in the literature on rare diseases with TMD diagnosis, and joint noises are asymptomatic and only a small percentage of affected individuals seek or require treatment.

Given the overlapping signs and symptoms among the majority of RDs and the scarcity of literature on RDs with TMJ manifestations, it is difficult to provide substantial evidence pinpointing specific TMD symptoms to particular rare diseases. Moreover, both TMD and RDs are chronic and progressive conditions, which exhibit diverse symptoms that are subjective and tend to vary over time, rendering it challenging to predict the most common symptoms. Thus, to clarify these variabilities, longitudinal studies are needed to evaluate the exact signs and symptoms and radiographic findings instead of analyzing the data.

Although TMJ manifestations are fewer in rare disease patients, it is important to recognize the signs and symptoms of TMD to enable the early diagnosis and the implementation of effective management strategies. Hence, healthcare professionals should perform a comprehensive history and complete clinical examination of each patient to understand the complexity of rare diseases with TMJ manifestations. TMD diagnosis has substantially improved over time, with the most recent diagnostic criteria for TMD (DC/TMD) being reliable and valid for most common diagnoses^[20]. In this review, TMJ articular disorders including arthralgia, arthritis, disc disorders, DJD, ankylosis, and common muscle disorders such as myalgia, myositis, and other muscle disorders were classified based on the rare diseases. The most common diagnoses in the

literature search were arthralgia and myalgia, which accounted for 18 RDs. Additionally, TMJ ankylosis and TMJ arthritis were also predominant in the rare diseases. For some RDs, such as calcium pyrophosphate deposition, there is not enough data on TMD symptoms. Similarly, with conditions such as osteomyelitis, there exists a range of symptoms and diagnostic complexities. The reason for this disparity is that most of the rare disease had varied presentations or diagnostic challenges related to TMD, and most of the studies did not utilize the DC/TMD, which demonstrate excellent sensitivity and specificity in diagnosis. Hence, for many patients, the goals of therapy should be tailored towards an improved quality of life, which might be more realistic than meaningful pain reduction. An appropriate TMD management strategy should aim to alleviate the main signs and symptoms of this condition. As a result, for painful TMD, a multidisciplinary treatment approach is recommended^[21].

Over the past decade, there has been tremendous progress in both TMD and RD research, especially in understanding pathogenesis, diagnosis, and management. However, there is still a lack of clarity in understanding the underlying mechanisms of TMDs and comorbid features^[22,23]. Additionally, epigenetics, gene discoveries, and associated biopsychosocial models have improved our understanding of chronic painful TMD and RDs. Undeniably, a genetic diagnosis offers the potential for personalized management and yet opens another door of challenges in treatment availability and affordability. However, making a correct diagnosis is still challenging due to the heterogeneities and rarity of each RD^[8,24,25].

One of the major barriers to identifying signs or symptoms and obtaining a diagnosis is the lack of knowledge of RDs. The novelty of analyzing TMJ manifestation in RDs raises the possibility of oversights in the number of RDs that actually involve TMJ manifestation. The combination of multiple databases in this study resulting in our RD yield indicates that many potential TMJ-involving RDs could exist undetected in other locations. Furthermore, RDs are usually harder to gauge due to limited literature and a lack of standardized methodologies to collect related data. Hence, patient registries are critical in tailoring evidence-based care for individuals with rare diseases and TMJ manifestations because they help to overcome the inherent challenges of rare disease research by pooling data and achieving adequate sample sizes.

LIMITATIONS

Since the present study is the first work to analyze and gather RDs with TMJ manifestations, there are several limitations to this study. The absence of electronic search using alternative keywords and comparable publications narrows possible insights into RDs that are missing from this compilation. Additionally, due to the rarity of several diseases on this list, information such as pathological mechanisms and genetic origin are still unknown. Similarly, different signs, symptoms, and diagnoses of TMD and their relationship with RDs were not explored in a uniform manner. The absence of a standard for the evaluation of TMJ manifestations introduces confusion in possible methods of categorizing different associated developments. Scattered databases and reports/articles about relevant TMJ symptoms and diagnoses in RD patients lead to inevitable omissions of certain cases. Lastly, the inconsistent definition of RD across international medical databases undermines the content of this study's collection.

CONCLUSION

There are only 54 identified RDs with TMJ manifestations. Some TMJ manifestations are common in RDs, and hence, healthcare professionals play an important role in identifying the TMD symptoms and tailoring personalized treatment plans. A multidisciplinary approach to TMD patients with rare diseases is advisable. However, making a correct diagnosis is still challenging due to the complexities of TMD and the rarity of each of the RDs. In order to mitigate these issues, patient registries are thought to be a key step that can not

only significantly improve disease classification but also contribute to developing an evidence-based personalized treatment for rare diseases with TMJ manifestations and other comorbidities.

DECLARATIONS

Authors' contributions

Design of the methodology and the search algorithm: Shrivastava M, Tian G, Ye L

Blind selection of the articles: Tian G, Ye L

Writing of the manuscript: Shrivastava M, Ye L

Availability of data and materials

Not applicable.

Financial support and sponsorship

This work was supported in part by the Orofacial Rehabilitation and Craniofacial Biology Research Fund, University of Minnesota.

Conflicts of interest

All authors declared that there are no conflicts of interest.

Ethical approval and consent to participate

Not applicable.

Consent for publication

Not applicable.

Copyright

© The Author(s) 2023

REFERENCES

1. National Organization for Rare Disorders (NORD). Available from: <https://www.nidcd.nih.gov/directory/national-organization-rare-disorders-nord> [Last accessed on 16 Nov 2023].
2. Regulation (EC) No 141/2000 of the European Parliament and of the Council of 16 December 1999 on orphan medicinal products. Available from: <https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=celex:32000R0141> [Last accessed on 16 Nov 2023].
3. Federal Ministry of Health. Available from: <http://www.bmg.bund.de/praevention/seltene-erkrankungen.html> [Last accessed on 16 Nov 2023].
4. Wetterauer B, Schuster R. Rare diseases. Funding programs in Germany and Europe. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz* 2008;51:519-28. (in German). DOI PubMed
5. Nguengang Wakap S, Lambert DM, Olry A, et al. Estimating cumulative point prevalence of rare diseases: analysis of the Orphanet database. *Eur J Hum Genet* 2020;28:165-73. DOI PubMed PMC
6. National plan of action for people with rare diseases. Action fields, recommendations, proposed actions. Available from: https://www.namse.de/fileadmin/user_upload/downloads/National_Plan_of_Action.pdf [Last accessed on 16 Nov 2023].
7. Héon-Klin V. European reference networks for rare diseases: what is the conceptual framework? *Orphanet J Rare Dis* 2017;12:137. DOI PubMed PMC
8. Chung CCY, Chu ATW, Chung BHY; Hong Kong Genome Project. Rare disease emerging as a global public health priority. *Front Public Health* 2022;10:1028545. DOI PubMed PMC
9. Jackowski J, Hanisch M. 2012;Orofacial manifestations in 2006 rare diseases-a preliminary systematic review of the literature. *J German Soc Dent Oral Med* 2012;67:D10. Available from: https://scholar.google.com/scholar_lookup?journal=J+German+Soc+of+Dent+Oral+Med&title=Orofacial+manifestations+in+2006+rare+diseases+-+a+preliminary+systematic+review+of+the+literature&author=J+Jackowski&author=M+Hanisch&publication_year=2012&pages=p.67& [Last accessed on 17 Nov 2023].
10. Shrivastava M, Ye L. A review on autophagy in orofacial neuropathic pain. *Cells* 2022;11:3842. DOI PubMed PMC
11. Shrivastava M, Battaglino R, Ye L. A comprehensive review on biomarkers associated with painful temporomandibular disorders. *Int J Oral Sci* 2021;13:23. DOI PubMed PMC

12. Resende CMBM, Rocha LGDDS, Paiva RP, et al. Relationship between anxiety, quality of life, and sociodemographic characteristics and temporomandibular disorder. *Oral Surg Oral Med Oral Pathol Oral Radiol* 2020;129:125-32. DOI
13. Reimann A, Bend J, Dembski B. Patient-centred care in rare diseases. A patient organisations' perspective. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz* 2007;50:1484-93. (in German). DOI PubMed
14. Taneja A, Shashidhara LS, Bhattacharya A. Rare diseases in India: time for cure-driven policy initiatives and action. *Curr Sci* 2020;118:1500-6. Available from: <https://www.currentscience.ac.in/Volumes/118/10/1500.pdf> [Last accessed on 16 Nov 2023].
15. Kole A, Faurisson F. Rare diseases social epidemiology: analysis of inequalities. In: Posada de la Paz M, Groft SC, editors. *Rare diseases epidemiology*. Dordrecht: Springer Netherlands; 2010. pp. 223-50. DOI
16. Bitiniene D, Zamaliauskiene R, Kubilius R, Leketas M, Gailius T, Smirnovaite K. Quality of life in patients with temporomandibular disorders. a systematic review. *Stomatologija* 2018;20:3-9. PubMed
17. Moher D, Shamseer L, Clarke M, et al; PRISMA-P Group. Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015 statement. *Syst Rev* 2015;4:1. DOI PubMed PMC
18. Hanisch M, Hoffmann T, Bohner L, et al. Rare diseases with periodontal manifestations. *Int J Environ Res Public Health* 2019;16:867. DOI PubMed PMC
19. List of rare diseases and synonyms in alphabetical order. Available from: https://www.orpha.net/orphacom/cahiers/docs/GB/List_of_rare_diseases_in_alphabetical_order.pdf [Last accessed on 16 Nov 2023].
20. Schiffman E, Ohrbach R, Truelove E, et al; International RDC/TMD Consortium Network; International association for Dental Research; Orofacial Pain Special Interest Group; International Association for the Study of Pain. Diagnostic criteria for temporomandibular disorders (DC/TMD) for clinical and research applications: recommendations of the international RDC/TMD Consortium Network* and Orofacial Pain Special Interest Group†. *J Oral Facial Pain Headache* 2014;28:6-27. DOI PubMed PMC
21. Shrivastava M, Ye L. Toward an enhanced understanding of relationship between insomnia and painful temporomandibular disorder: an integrative review. DOI
22. Minervini G, Franco R, Marrapodi MM, et al. Correlation between temporomandibular disorders (TMD) and posture evaluated through the diagnostic criteria for temporomandibular disorders (DC/TMD): a systematic review with meta-analysis. *J Clin Med* 2023;12:2652. DOI PubMed PMC
23. Minervini G, Marrapodi MM, Tirupathi S, et al. Prevalence of temporomandibular disorders (TMD) in bleeding disorders: a systematic review with meta-analysis. *J Oral Rehabil* 2023;50:1535-43. DOI
24. Boycott KM, Vanstone MR, Bulman DE, MacKenzie AE. Rare-disease genetics in the era of next-generation sequencing: discovery to translation. *Nat Rev Genet* 2013;14:681-91. DOI PubMed
25. Kölker S, Gleich F, Mütze U, Opladen T. Rare disease registries are key to evidence-based personalized medicine: highlighting the European experience. *Front Endocrinol* 2022;13:832063. DOI PubMed PMC
26. Javed F, Utreja A, Bello Correa FO, et al. Oral health status in children with acute lymphoblastic leukemia. *Crit Rev Oncol Hematol* 2012;83:303-9. DOI
27. Salik I, Catanzaro M, Abramowicz A. Novel manifestation of Aicardi-Goutières syndrome: temporomandibular joint ankylosis. *J Clin Anesth* 2019;56:58-9. DOI PubMed
28. McGowan R, Murday V, Kinning E, Garcia S, Koppel D, Whiteford M. Novel features in auriculo-condylar syndrome. *Clin Dysmorphol* 2011;20:1-10. DOI PubMed
29. Zachariou D, Rozis M, Galanis A, et al. A case report of bilateral plantar fibromatosis and review of treatment options. *Maedica* 2023;18:136-42. PubMed PMC
30. Srinivasan V, Wensel A, Dutcher P, Newlands S, Johnson M, Vates GE. Calcium pyrophosphate deposition disease of the temporomandibular joint. *J Neurol Surg Rep* 2012;73:6-8. DOI
31. Gorlin RJ, Cohen Jr MM, Hennekam RCM. *Syndromes of the head and neck*. Oxford university press; 2001. Available from: https://books.google.com/books?hl=zh-CN&lr=&id=mSUnOoCvQWAC&oi=fnd&pg=PR15&ots=duXdQbcOjj&sig=UDaA_ifKeWTDImikBOjblfk3THU#v=onepage&q&f=false [Last accessed on 16 Nov 2023].
32. Mhaske S, Ghai S. *Syndromes Affecting Temporomandibular Joint*. In: Bhargava D, editor. *Temporomandibular joint disorders*. Singapore: Springer; 2021. pp. 315-25. DOI
33. da Costa D, De-Carli AD, Probst LF, Grande AJ, Guerrero ATG. Oral manifestations in chikungunya patients: a systematic review. *PLoS Negl Trop Dis* 2021;15:e0009401. DOI PubMed PMC
34. Lee K, Kim SH, Kim SM, Myoung H. Temporomandibular joint chondrosarcoma: a case report and literature review. *J Korean Assoc Oral Maxillofac Surg* 2016;42:288-94. DOI PubMed PMC
35. Zamora JG, Rivera C, Utsman R, Klasser GD. Orofacial manifestations of chorea-acanthocytosis: case presentation and literature review. *Quintessence Int* 2022;53:270-6. DOI PubMed
36. Patwardhan A, Spencer CH. An unprecedented COPA gene mutation in two patients in the same family: comparative clinical analysis of newly reported patients with other known COPA gene mutations. *Pediatr Rheumatol Online J* 2019;17:59. DOI PubMed PMC
37. Mitakides J, Tinkle BT. Oral and mandibular manifestations in the Ehlers-Danlos syndromes. *Am J Med Genet C Semin Med Genet* 2017;175:220-5. DOI PubMed
38. Tinkle B, Castori M, Berglund B, et al. Hypermobility Ehlers-Danlos syndrome (a.k.a. Ehlers-Danlos syndrome type III and Ehlers-Danlos syndrome hypermobility type): clinical description and natural history. *Am J Med Genet C Semin Med Genet* 2017;175:48-69. DOI

39. Jen JC, Wan J, Palos TP, Howard BD, Baloh RW. Mutation in the glutamate transporter EAAT1 causes episodic ataxia, hemiplegia, and seizures. *Neurology* 2005;65:529-34. DOI PubMed
40. Demerjian GG, Sims AB, Patel M, Balatgek TL, Sabal EB. Head and neck manifestations of temporomandibular joint disorders. In: Demerjian GG, Barkhordarian A, Chiappelli F, editors. Temporomandibular joint and airway disorders. Cham: Springer International Publishing; 2018. pp. 73-93. DOI
41. Frenkel B, Berg T, Totry A, Rachmiel A. A novel treatment of temporomandibular joint arthritis as a complication in familial Mediterranean fever-literature review and a case report. *Oral Maxillofac Surg* 2018;22:365-8. DOI
42. Chaisrisawadisuk S, Oliver KJ, Constantine S, Azzopardi J, Anderson PJ, Moore MH. Fibrodysplasia ossificans progressiva: a case report with pseudo-ankylosis of the temporomandibular joint. *Cleft Palate Craniofac J* ;2022:10556656221146598. DOI PubMed
43. Galiay L, Simon F, Lévy R, et al. Temporomandibular joint anomalies in pediatric craniofacial Gorham-Stout disease. *J Craniomaxillofac Surg* 2018;46:1179-84. DOI
44. Pauli RM, Pettersen JC, Arya S, Gilbert EF. Familial agnathia-holoprosencephaly. *Am J Med Genet* 1983;14:677-98. DOI PubMed
45. Gima H, Yamashiro M, Tomoyose Y. Ankyloglossum superius syndrome. *J Oral Maxillofac Surg* 1987;45:158-60. DOI PubMed
46. Neville BW, Damm DD, Allen CM, Chi AC. Oral and maxillofacial pathology. Elsevier Health Sciences; 2015. Available from: <https://books.google.com/books?hl=zh-CN&lr=&id=DmVgDwAAQBAJ&oi=fnd&pg=PP1&dq=Neville+BW,+Damm+DD,+Allen+CM,+Oral+and+maxil+Chi+MAXILlofacial+pathology.+2015+May+13&ots=9HWQ2z2c4j&sig=FLBCdbqmCFg9xfSf0E2XhhDshIA#v=onepage&q&f=false> [Last accessed on 16 Nov 2023].
47. Cannizzaro E, Schroeder S, Müller LM, Kellenberger CJ, Saurenmann RK. Temporomandibular joint involvement in children with juvenile idiopathic arthritis. *J Rheumatol* 2011;38:510-5. DOI PubMed
48. Almășan O, Hedeșiu M, Băciuț M, Buduru S, Dinu C. Psoriatic arthritis of the temporomandibular joint: a systematic review. *J Oral Rehabil* 2023;50:243-55. DOI PubMed
49. Jen M, Brucia LA, Pollock AN, Burnham JM. Cervical spine and temporomandibular joint arthritis in a child with Kawasaki disease. *Pediatrics* 2006;118:e1569-71. DOI
50. Roychoudhury A, Batra P, Parkash H. Pseudo temporomandibular joint ankylosis in a patient with Klippel-Feil syndrome. *J Oral Maxillofac Surg* 2005;63:257-61. DOI
51. Thind T, Dunganwalla M, Newman L. Langerhans cell histiocytosis-an update and rare case presentation. *Oral Surgery* ;15:651-6. DOI
52. Døving M, Christensen EE, Huse LP, Vengen Ø. A case of septic arthritis of the temporomandibular joint with necrotic peri-articular infection and Lemierre's syndrome: an unusual presentation. *Oral Maxillofac Surg* 2021;25:411-5. DOI PubMed PMC
53. Morais P, Magina S, Ribeiro Mdo C, et al. Restrictive dermopathy--a lethal congenital laminopathy. Case report and review of the literature. *Eur J Pediatr* 2009;168:1007-12. DOI
54. Nguyen QC, Duverger O, Mishra R, et al. Oral health-related quality of life in Loey's-Dietz syndrome, a rare connective tissue disorder: an observational cohort study. *Orphanet J Rare Dis* 2019;14:291. DOI PubMed PMC
55. Harris RJ. Lyme disease involving the temporomandibular joint. *J Oral Maxillofac Surg* 1988;46:78-9. DOI PubMed
56. Guglieri M, Magri F, Comi GP. Molecular etiopathogenesis of limb girdle muscular and congenital muscular dystrophies: boundaries and contingencies. *Clin Chim Acta* 2005;361:54-79. DOI PubMed
57. Scarpa M. Mucopolysaccharidosis type II. In: Adam MP, Feldman J, Mirzaa GM, Pagon RA, Wallace SE, Bean LJH, Gripp KW, Amemiya A, editors. GeneReviews®. Seattle (WA): University of Washington, Seattle; 1993-2023. PubMed
58. Yoshimura Y, Sugihara T, Kishimoto H, Nagaoka S. Multicentric reticulohistiocytosis accompanied by oral and temporomandibular joint manifestations. *J Oral Maxillofac Surg* 1987;45:84-6. DOI PubMed
59. Mohamad AA. Perception of final year dental students on pattern of medication for pulpitis. *Dentistry* 2012;3:159. DOI
60. Engvall M, Sjögreen L, Kjellberg H, Robertson A, Sundell S, Kiliaridis S. Oral health in children and adolescents with myotonic dystrophy. *Eur J Oral Sci* 2007;115:192-7. DOI PubMed
61. Oakley M, Vieira AR. The many faces of the genetics contribution to temporomandibular joint disorder. *Orthod Craniofac Res* 2008;11:125-35. DOI PubMed
62. Handa S, Shaefer JR, Keith DA. Oromandibular dystonia and temporomandibular disorders. *J Am Dent Assoc* 2022;153:899-906. DOI PubMed
63. Müller-Richter UD, Roldán JC, Mörtl M, Behr M, Reichert TE, Driemel O. SAPHO syndrome with ankylosis of the temporomandibular joint. *Int J Oral Maxillofac Surg* 2009;38:1335-41. DOI PubMed
64. Gay BB Jr, Elsas LJ, Wyly JB, Pasquali M. Osteopathia striata with cranial sclerosis. *Pediatr Radiol* 1994;24:56-60. DOI PubMed
65. Fain ET, Atkinson GP, Weiser P, Beukelman T, Cron RQ. Temporomandibular joint arthritis in pediatric sjogren disease and sarcoidosis. *J Rheumatol* 2011;38:2272-3. DOI PubMed
66. Damodar D, Chan N, Kokot N. Pigmented villonodular synovitis of the temporomandibular joint: Case report and review of the literature. *Head Neck* 2015;37:E194-9. DOI PubMed
67. Selvi F, Messina J, Faquin WC, Keith DA. Relapsing polychondritis concomitant with synovial chondromatosis of the temporomandibular joint. *J Oral Maxillofac Surg* 2016;74:2207-15. DOI PubMed
68. Huguenin A, Noel V, Rogez A, Chemla C, Villena I, Toubas D. Scedosporium apiospermum otitis complicated by a temporomandibular arthritis: a case report and mini-review. *Mycopathologia* 2015;180:257-64. DOI PubMed
69. Stephen LX, Beighton PH. Oro-dental manifestations of the Schwartz-Jampel syndrome. *J Clin Pediatr Dent* 2002;27:67-70. DOI

[PubMed](#)

70. Gayle EA, Young SM, McKenna SJ, McNaughton CD. Septic arthritis of the temporomandibular joint: case reports and review of the literature. *J Emerg Med* 2013;45:674-8. [DOI](#) [PubMed](#) [PMC](#)
71. Costa TMP, Nascimento MDCC, Peralta-Mamani M, Rubira-Bullen IRF, Junqueira JLC, Soares MQS. Prevalence of orofacial alterations in patients with sickle-cell disease: systematic review and meta-analysis. *Oral Surg Oral Med Oral Pathol Oral Radiol* 2023;135:642-60. [DOI](#) [PubMed](#)
72. Meng J, Guo C, Yi B, Zhao Y, Luo H, Ma X. Clinical and radiologic findings of synovial chondromatosis affecting the temporomandibular joint. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2010;109:441-8. [DOI](#)
73. Xia S, Chen X, Hu Y, Zhang J. Biphasic synovial Sarcoma with extensive calcification in the temporomandibular joint region: a rare case report and literature review. *J Stomatol Oral Maxillofac Surg* 2020;121:592-8. [DOI](#) [PubMed](#)
74. Benli M, Batool F, Stutz C, Petit C, Jung S, Huck O. Orofacial manifestations and dental management of systemic lupus erythematosus: a review. *Oral Dis* 2021;27:151-67. [DOI](#) [PubMed](#)
75. Crincoli V, Fatone L, Fanelli M, et al. Orofacial manifestations and temporomandibular disorders of systemic scleroderma: an observational study. *Int J Mol Sci* 2016;17:1189. [DOI](#) [PubMed](#) [PMC](#)
76. Verspoor FGM, Mastboom MJL, Weijjs WLJ, Koetsveld AC, Schreuder HWB, Flucke U. Treatments of tenosynovial giant cell tumours of the temporomandibular joint: a report of three cases and a review of literature. *Int J Oral Maxillofac Surg* 2018;47:1288-94. [DOI](#)
77. Assouan C, Anzouan K, Nguessan ND, et al. Tuberculosis of the temporomandibular joint. *Rev Stomatol Chir Maxillofac Chir Orale* 2014;115:88-93. [DOI](#)
78. Nitzan DW, Katsnelson A, Bermanis I, Brin I, Casap N. The clinical characteristics of condylar hyperplasia: experience with 61 patients. *J Oral Maxillofac Surg* 2008;66:312-8. [DOI](#) [PubMed](#)